# Saskatchewan Immunization Manual Amendments - December 2025

<u>Instructions</u>: Discard the corresponding pages in each chapter section as noted below and insert these amended pages in the corresponding chapter sections.

# **Chapter 5 Immunization Schedules**

### • P. 7 Section 1.6 Adults 18 Years Who Present for Immunization

o Pneu-C-20 changed to Pneu-C-21 for adults 65 years.

# P. 8 Section 1.7 Recommended Publicly Funded Immunizations for Adults Who Completed a Primary Childhood Vaccine Series

#### Revised indication for Pneu-C-20

- Adults 18-64 years old who have at least one eligible risk factor according to eligibility criteria and directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.
- Adults 18 years and older who are solid organ or Islet cell transplant candidates and/or recipients, and HSCT recipients.
  - Refer to Chapter 7, Immunization of Special Populations for transplant-specific directives.

#### New! Indications for Pneu-C-21

- Individuals 65 years and older who do not have documentation of receiving previous pneumococcal vaccines (considered non-immunized).
- Individuals 65 years and older who have documentation of previous pneumococcal vaccine and have at least one eligible risk factors. Refer to directives in Pneu-C-21 Immunization Schedules for Individuals 65 Years and Older.
- HSCT recipients who are 65 years and older.
  - Refer to Chapter 7, Immunization of Special Populations for more information.

## • P. 9 Section 1.8 Publicly Funded Vaccine Eligibility Criteria

 Added to first bullet regarding application of MenB minimum intervals: "... may be applied (unless otherwise noted for transplant patient schedule in Chapter 7, Immunization of Special Populations."

#### o Pneu-C-20 bullets revised:

- Individuals 6 weeks and older with at least 1 qualifying risk factor approved for their age.
- Refer to SIM CH. 10 Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors for guidance.
- For transplant patients, refer to SIM, Chapter 7, Immunization of Special Populations.

### New! Pneu-C-21 bullets:

- Adults 65 years and older who have never received any pneumococcal vaccines.
- Adults 65 years and older who have been previously immunized with pneumococcal vaccine and have at least 1 qualifying risk factor approved for their age.
  - Refer to SIM CH. 10 Pneu-C-21 Immunization Schedules for Individuals 65 Years and Older for guidance.
- HSCT recipients who are 65 years and older, refer to SIM, Chapter 7, Immunization of Special Populations.

### • P. 11 Section 2.1 Minimum Intervals for Specific Vaccines

 New footnote #16 for MenB: Following transplant agency schedule recommendations in SIM CH. 7 for transplant patients.



## **Chapter 7 Immunization of Special Populations**

## • P. 6 Table 2.2A Cardiac Disease

 Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.

## • P. 6 Table 2.3A Cochlear Implant

 Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.

## • P. 7 Table 2.4A Asplenia

- Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.
- o New! Pneu-C-21 Indications: Only for those 65 years and older. Refer to directives in *Pneu-C-21 Immunization Schedules for Individuals 65 Years and Older*.

### • P. 8 Table 2.5 A CSF Disorders

 Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.

#### • P. 8 Table 2.6A CF

 Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.

#### • P. 8 Table 2.7 Diabetes Mellitus

 Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.

## • P. 9 Table 2.8A Liver Disease

 Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.

# • P. 9 Table 2.9A Lung Disease

 Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.

### P. 10 Table 2.10A Malignancies/Cancer

- Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.
- o New Pneu-C-21 Indications: Only for those 65 years and older. Refer to directives in *Pneu-C-21 Immunization Schedules for Individuals 65 Years and Older*.

# P. 11 Table 2.11 A Neurological Conditions that impede the clearance of respiratory/oral secretions

 Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.

#### P. 12 Table 2.12A Renal Disease

- Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.
- New Pneu-C-21 Indications: Only for those 65 years and older. Refer to directives in Pneu-C-21
   Immunization Schedules for Individuals 65 Years and Older.

#### P. 13 Table 2.13 A Sickle Cell Disease

- Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.
- New Pneu-C-21 Indications: Only for those 65 years and older. Refer to directives in Pneu-C-21
   Immunization Schedules for Individuals 65 Years and Older.

## • P. 14 Table 3.1A Congenital and Acquired Complement Deficiencies

- Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.
- New Pneu-C-21 Indications: Only for those 65 years and older. Refer to directives in Pneu-C-21
   Immunization Schedules for Individuals 65 Years and Older.

### P. 16 Table 3.3A HIV

- Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.
- New Pneu-C-21 Indications: Only for those 65 years and older. Refer to directives in Pneu-C-21
   Immunization Schedules for Individuals 65 Years and Older.

## • P. 20 Table 3.7A Medical Treatment

- Pneu-C-20 indications revised: Only for those younger than 65 years old. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.
- New Pneu-C-21 Indications: Only for those 65 years and older. Refer to directives in Pneu-C-21
   Immunization Schedules for Individuals 65 Years and Older.

#### • P. 21 Section 5.1 MSM

SMV vaccine abbreviation replaces Mpox.

# Pp. 33-36 Appendix 7.1: Publicly Funded Vaccine Recommendations for Specific Populations by Panorama Risk Factor Category

- Pp. 33-35: All table column headers that noted Pneu-C-20 amended to "Pneu-C", as age determines whether Pneu-C-20 or Pneu-C-21 to be administered.
- o P. 35 DELETED: 'Caregiver of infants' risk factor for Tdap.
- o P. 35 -In last column, SMV vaccine abbreviation replaces Mpox.
- P. 36 Footnote #2 Revised and now states, "Refer to these SIM CH. 10 immunization directives for guidance and eligibility parameters: Pneu-C-20 Immunization Schedules for Individuals Who Have

Qualifying Medical/Lifestyle Risk Factors **OR** Pneu-C-21 Immunization Schedules for Individuals 65 Years and Older.

## • P. 41 Appendix 7.6 Immunization schedule for Adult Post-HSCT Recipients

- Revised footnote #3: Individuals with incomplete Pneu-C-13 series: complete series with Pneu-C-20. Refer to footnote #4 for those +65 years old. Individuals 18-64 years old who completed a Pneu-C-13 series and/or received Pneu-P-23 dose(s) can receive 1 Pneu-C-20 dose when it has been ≥1 year after last documented Pneu-P-23 AND ≥ 8 weeks from last documented Pneu-C-13 dose.
- New! Footnote 4: Pneu-C-21 immunization directive table for individuals presenting at 65 years and older.
- Footnote 18 revised to note that HPV-9 and Pneu-C-21 are not publicly funded for those ineligible for publicly funded programs.

# P. 43 Appendix 7.8 Publicly Funded Immigrant and Refugee Immunization and Serology Recommendations

o Pneu-C-21 added to table; along with Pneu 15 and 20 now listed in one row.

## Appendix 7.9: Publicly Funded Immunization Schedule for Adult Solid Organ Pre-Transplant Candidates

- HB high dose for all patients.
- o Footnote #2 refers to App. 7.4 for scheduling.
- o Footnote 15 revised to note that HPV-9 and Pneu-C-21 are not publicly funded for those ineligible for publicly funded programs.

# Appendix 7.10: Publicly Funded Immunization Schedule for Adult Solid Organ Post-Transplant Recipients

- o HB high dose for all patients.
- o Footnote #2 refers to App. 7.4 for scheduling.
- Footnote 13 revised to note that HPV-9 and Pneu-C-21 are not publicly funded for those ineligible for publicly funded programs.

## **Chapter 10 Biological Products**

### • TOC p. 2

- Deleted pneumococcal reference pages:
  - Age-based Risk Factor Eligibility for Pneu-C-20 Immunization (as noted in Panorama)
  - Pneu-C-20 Immunization Flow Chart for Individuals Through 64 Years of Age
  - Pneu-C-20 Immunization Flow Chart for Individuals 65 Years and Older
  - Pneu-P-23 vaccine info, as discontinued in Canada.

#### New pneumococcal reference tables added!

- Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors
- Pneu-C-21 Immunization Schedules for Individuals 65 Years and Older

## • TOC p. 3

- Vaccine abbreviation added to include "RSVpreF" after the tradename of ABRYSVO as the product is frequently referred to using "RSVpreF". *Panorama agent name unchanged*.
- Vaccine abbreviation added to include "RSVPreF3" after the tradename of AREXVY as the product is frequently referred to using "RSVPreF3".
- NOTE: Panorama agent name unchanged.

## • BEXSERO (MenB 4CMenB)

- Revised transplant patient indications:
  - Solid organ or islet cell transplant candidates or recipients as per transplant agency schedule recommendations in <u>SIM CH. 7</u>
  - Hematopoietic stem cell transplant recipients as per transplant agency schedule recommendations in SIM CH. 7

#### 2025-26 COVID-19 Immunization Schedules

- o Table 5
  - Corrected Interval between 2025-26 vaccine doses instead of 2024-25
- o Table 6
  - Corrected Interval between 2025-26 vaccine doses instead of 2024-25

## • PREVNAR 20™ (Pneu-C-20)

- Updated link to 2025 product monograph
- Indications now state:
  - Individuals 6 weeks through 64 years old who have at least one eligible risk factor. Refer to directives in Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors.
  - 2. **Transplant patients 6 weeks and older** (HSCT, solid organ, Islet cell). **Refer to** SIM <u>Ch. 7</u> for transplant-specific adult recommendations.
- New! Storage and administration row; "Store pre-filled syringes horizontally in the refrigerator.
   Administer as soon as possible after being removed from the refrigerator."

## NEW! Pneu-C-20 Immunization Schedules for Individuals Who Have Qualifying Medical/Lifestyle Risk Factors

This table replaces the previous Pneu-C-20 immunization algorithm and risk factor documents.
 Previous pneumococcal immunization history, age at presentation and Pneu-C-20 directives are provided in table format, and qualifying risk factors noted in footnote #2, #3 and #4.

## • CAPVAXIVE® (Pneu-C-21)

- New! Vaccine information including indications and qualifying risk factors in footnote #1.:
  - 1. **Individuals 65 years and older** who do not have documentation of receiving previous pneumococcal vaccines (and considered non-immunized).
  - 2. **Individuals 65 years and older** who have documentation of previous pneumococcal vaccine and have at least one eligible risk factors. Refer to directives in *Pneu-C-21 Immunization Schedules for Individuals 65 Years and Older*.
  - 3. **HSCT recipients who are 65 years and older. Refer to SIM** Ch. 7 for adult recommendations.

## • NEW! Pneu-C-21 Immunization Schedules for Individuals 65 Years and Older

 The tables replace the previous Pneu-C-20 immunization algorithm and risk factor documents for adults 65 years and older. Previous pneumococcal immunization history, age at presentation and Pneu-C-21 directives are provided in table format, and qualifying risk factors noted in footnote #1.

### **Chapter 14 Appendices**

• P. 21: Pneu-C-20 and Pneu-C-21 fact sheets dated for November 2025 added to Appendix 14.3.