

References

December, 2014

Section 7
Page 1 of 5

-
-
- British Columbia Centre for Excellence in HIV/AIDS. (2009). *Therapeutic guidelines: Accidental exposure*. Retrieved May, 2013 from <http://www.cfenet.ubc.ca/our-work/initiatives/therapeutic-guidelines/accidental-exposure-therapeutic-guidelines>.
- British Columbia Centre for Disease Control. (2010). *Communicable disease control: Blood and body fluid exposure management*. Retrieved May, 2013 from http://www.bccdc.ca/NR/rdonlyres/E6AF842F-A899-477F-BC90-5BFF6A4280F6/0/EPI_Guideline_BBF_20100723.pdf.
- British Columbia Centre for Disease Control. (2010). *HIV laboratory testing: A resource for health professionals*. Retrieved May, 2013 from <http://www.bccdc.ca/NR/rdonlyres/2982E293-BD82-436D-B193-F929B5CEEBC/0/HIVTestinginBCResourceDocumentforHealthProfessionalsJune2010.pdf>.
- Canadian HIV/AIDS Legal Network. (2001). *Occupational exposure to HBV, HCV, or HIV*. Retrieved May, 2013 from <http://www.aidslaw.ca/publications/publicationsdocEN.php?ref=274>.
- Cardo, D. M., Culver, D. H., Ciesielski, C. A., Srivastava, P. U., Marcus, R., Abiteboul, D., et al. (1997). A case-control study of HIV seroconversion in health care workers after percutaneous exposure. Centers for Disease Control and Prevention Needlestick Surveillance Group [Abstract]. *New England Journal of Medicine*, 1997 Nov 20;337(21):1485-90.
- Fisher, M., Benn, P., Evans, B., Pozniak, P., Jones, M., MacLean, S., et al. (2006). UK Guideline for the use of post-exposure prophylaxis for HIV following sexual exposure. *International Journal of STD & AIDS*; 17: 81–92. Retrieved May, 2013 from <http://www.bashh.org/documents/58/58.pdf>.
- Health Canada. (2003). *It's your health: Tattooing and piercing*. Retrieved May, 2013 from http://www.collectionscanada.gc.ca/webarchives/20060225075643/http://www.hc-sc.gc.ca/iyh-vsv/alt_formats/cmcd-dcmc/pdf/tattoo_e.pdf.

References

December, 2014

Section 7
Page 2 of 5

- New York State Department of Health AIDS Institute. (2010). *HIV prophylaxis following non-occupational exposure to HIV including sexual assault*. Retrieved May, 2013 from <http://www.hivguidelines.org/wp-content/uploads/non-occupational-exposure-posted-11-16-2010.pdf>.
- New York State Department of Health AIDS Institute. (2013). *HIV prophylaxis following non-occupational exposure*. Retrieved August, 2013 from <http://www.hivguidelines.org/wp-content/uploads/2013/09/hiv-prophylaxis-following-non-occupational-exposure.pdf>.
- Ontario Ministry of Health and Long-Term Care. (2009). *Infection prevention and control best practices for personal services settings*. Retrieved May, 2013 from http://www.health.gov.on.ca/en/pro/programs/publichealth/oph_standards/docs/pssp_2008.pdf.
- Ontario Network of Sexual Assault/Domestic Violence Treatment Centres. (n.d.). *HIV risk assessment: HIV PEP program*. Retrieved May, 2013 from <http://www.satontario.com/files/hivriskassessment.pdf>.
- Patel, P., Borkowf, C. B., Brooks, J. T., Lasry, A., Lansky, A., Mermin, J. (2014). Estimating per-act HIV transmission risk: A systematic review. *AIDS*; 28(10): 1506-1519.
- Public Health Agency of Canada. (2002). Infection prevention and control for personal service providers: Tattooing, ear/body piercing and electrolysis. *Canada Communicable Disease Report (CCDR)*, 25S3, July 1999. Retrieved May, 2013 from <http://www.collectionscanada.gc.ca/webarchives/20060211181012/http://www.phac-aspc.gc.ca/publicat/ccdr-rmtc/99vol25/25s3/index.html>.
- Saskatchewan Ministry of Health. (2012) *Guidelines for the use of point of care (POC) test kits in Saskatchewan*. Retrieved May, 2013 from <http://www.health.gov.sk.ca/adx/aspx/adxGetMedia.aspx?DocID=d0799b37-4135-4c5c-a41d-06345bd138be&MediaID=5715&Filename=hiv-poc-test-policy-guidelines-feb-2012.pdf&l=English>.
-
-

References

December, 2014

Section 7
Page 3 of 5

-
-
- U.S. Centers for Disease Control and Prevention. (2001). Updated U.S. Public Health Service guidelines for the management of occupational exposures to HBV, HCV, and HIV and recommendations for postexposure prophylaxis. *Morbidity and Mortality Weekly Report (MMWR)*, 50(RR-11), June 29, 2001. Retrieved May, 2013 from <http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5011a1.htm>.
- U.S. Centers for Disease Control and Prevention. (2003). Exposure to blood: What healthcare personal need to know [Brochure]. Retrieved May, 2013 from http://www.cdc.gov/HAI/pdfs/bbp/Exp_to_Blood.pdf.
- U.S. Centers for Disease Control and Prevention. (2005). Updated U.S. Public Health Service guidelines for the management of occupational exposures to HIV and recommendations for postexposure prophylaxis. *Morbidity and Mortality Weekly Report (MMWR)*, 54(RR09);1-17, September 30, 2005. Retrieved May, 2013 from <http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5409a1.htm>.
- U.S. Centers for Disease Control and Prevention. (2005). Antiretroviral postexposure prophylaxis after sexual, injection-drug use, or other nonoccupational exposure to HIV in the United States. *Morbidity and Mortality Weekly Report (MMWR)*, 54(RR02); 1-20, January 21, 2005. Retrieved May, 2013 from <http://aidsinfo.nih.gov/contentfiles/NonOccupationalExposureGL.pdf>.
- U.S. Centers for Disease Control and Prevention. (2010). *Sexually transmitted diseases treatment guidelines: Sexual assault and STDs*. Retrieved May, 2013 <http://www.cdc.gov/std/treatment/2010/sexual-assault.htm>.
- U.S. Centers for Disease Control and Prevention. (2010). *Questions and answers – HIV transmission*. Retrieved May, 2013 from <http://www.cdc.gov/hiv/resources/qa/transmission.htm>.
- U.S. Department of Health and Human Services Panel on Treatment of HIV-Infected Pregnant Women and Prevention of Perinatal Transmission. (2011) *Recommendations for use of antiretroviral drugs in pregnant HIV-1-infected women for maternal health and interventions to reduce perinatal HIV transmission in the United States*. Retrieved May, 2013 from <http://aidsinfo.nih.gov/contentfiles/PerinatalGL.pdf>.

References

December, 2014

Section 7
Page 4 of 5

World Health Organization. (2007). Post-exposure prophylaxis to prevent HIV infection: joint WHO/ILO guidelines on post-exposure prophylaxis (PEP) to prevent HIV infection. Retrieved May, 2013 from http://whqlibdoc.who.int/publications/2007/9789241596374_eng.pdf.